Govt. II-27—40,000—3-11-28.

Z. S. G (1929) Department.

Misc. SERIES.

G.O. No. 1205 P.H.

DATED 7. 5. 1929.

[Despatch Abstract.]

Drainage

Mangalore municipal Council.

Investigation of — Ordered

C.F. 20

DEPARTMENT.

Received ..... 192 . *Registered* 192

Subject. D2

Drainage Scheme

Mangalore Town - Preparation.

45212

TO GOVT. LOCAL SELF GOVT. 9 DEC. 1927

ENCLOSURES.
No. 1
Spare copies .....

G.No. 321/2728

Station Mangalore, *Dated the* 16th December 1927.

From (Name) M.R.Ry. Rao Sahib Nellikai Venkat Rao, Avl.

(Designation) Chairman, Municipal Council, Mangalore

To The Secretary to the Government of Madras

Local Self Government - Department.

Sir,

In submitting herewith a copy of the resolution of the Municipal Council on the subject of the preparation of a proper drainage scheme for this town, I request that Government may with reference to G.O.No. 1117 P.H. dated 7th June 1927 be pleased to inform the Council whether they will have such a scheme prepared and if so the probable cost of its preparation and the earliest period of time by which it might be got ready.

The favour of a very early order is requested.

Your obedient servant,

Nellikai Venkat

Chairman, L. C.

A/ Refer to JE
19/12 Sec P.S.

No. 2

Extract from the Proceedings of the Mangalore Municipal Council, dated 30th June 1927.

PRESENT:—

* * * * * *

23. Read letter from Councillor Mr.K.R.Karanth, proposing to move the following resolution:-

"That in view of the insanitary condition of the --- drains and drainage and sullage in certain parts of the town and the advantages of having a scientific drainage scheme - prepared for the whole Municipal area, so that the same may be got done in instalments, the Council resolves to have -- such a scheme prepared and for this purpose requests the -- Government to intimate to the Council whether the Government will be pleased to have such a scheme prepared, the probable cost of its preparation and the earliest period of time by which it might be got ready."

The resolution was proposed by Mr.K.R.Karanth and seconded by Mr.K.Venkat Rao.

Carried unanimously.

* * * * * *

/ True extract /

Municipal Office,)
)
Mangalore, 16-12-27.)
P.S.

K. Venkat Rao
Chairman, M. C.

3

DSG (PH) to pls

17/12/27

Cno 45212 from the S.M.C. Mangalore no. 371 of 16.12.27

Copied 22/12 Cxd 22/12

Subject - Drainage scheme Mangalore

Ref. Memo No. 45212-1D, P.H of 21.12.27

Referred to the Sanitary Engineer for remarks.

20/12

20.12.27

22.12.27

To

The S.E. (Carbon)

Copy to the C.E. Mangalore.

87
D 22/12/1027

PUBLIC WORKS DEPARTMENT.

C.F. 30—10 000—7-8-26.

Received ..... 192 . Registered ..... 192 .

Subject. 10009

Mangalore drainage.

L.S.G. (P.H.) Deptt

Lodged
The S.E may be reminded if necessary after a month

23/3 23.3.28 No. 157 G. 26.3.28

ENCLOSURES.
No. .....
.....
Spare copies .....

Station Triplicane, Madras Dated the 17th March 1928.

From (Name) J.S. Westerdale Esq., B.Sc., M.Inst.C.E.,

(Designation) Sanitary Engineer to Government.

To The Secretary to the Government of Madras,

LOCAL SELF GOVERNMENT (P.H. Department.

Sir,

With reference to your reminder dated 13-3-1928 on Memo. No. 452/P2-1-D.2 P.H. dated 21-12-1927 re: Mangalore drainage scheme, I have the honour to state that I am awaiting a report from the Deputy Sanitary Engineer, Southern Circle, who proposes to submit it after inspecting the town.

I have the honour to be,

Sir,

Your most obedient servant,

J.S. Westerdale 17.3.28

Sanitary Engineer to Govt.

17/3

PSW/1913
PSW/1923-28.

C. No 776-G
4.7.28

5

Local self gov. DEPARTMENT. C.F. 98.

REMINDER. Public Health Branch. **REPLY.**

To THE Sanitary Engineer to Govt.

The undersigned ~~has the honour to invite~~ is directed to invite ~~invites~~ attention to the communication noted in the margin and to request that this reminder may be returned ~~at once~~ with information as to—

Reminder No. 2/5/212/PH dated 21.12.27

(1) the stage at which the matter now is, and
(2) the date by which a reply may be expected, ~~and~~
(3) the circumstances which have caused the delay.

2. ~~It is requested that the reply to this reminder may be sent not later than~~

Office of the L.S.G. (P.H.) Sd/- T. Ramachandra Mudaliyar
Signature.
Station Fort St. George.
Assistant Secy to Govt.
Designation.
Dated 30/4/28

SUBJECT.

Drainage scheme. Kangalore.

To THE Secretary to Govt Local self Govt. Dept

SECRETARY TO GOVT. LOCAL SELF GOVT. DEPT. 6 JUL 1928

The Dy. Sanitary Engineer Southern circle has promised to send his report in a few days. A reply will be sent as soon as possible after his report is received.

J. S. Wesley Clark
6.7.28
Sanitary Engineer to Govt

L.S.G. (P.H.)

Lodged
The S.E. may be reminded a month hence if necessary

C.F. 32.

In reply, please quote number, date and short title.

N2

Public Works DEPARTMENT.

Received ..... *Registered* .....

From (Name) J.S. Westerdale Esq., B.Sc., A.I.nst.C.E.,

(Designation) Sanitary Engineer to Government,

Post Box ....., (Station) Trichinopoly.

Telegraphic Address Santengineer.

25/7/43

To The Secretary to Government,
Local Self-Government (P.W.) Department,
Madras.

No. 3826, *dated* 25th July 192 .

Sir,

Enclosures 2

Spare Copies 3 nil

Subject: Drainage Scheme.

I have the honour to forward my report on the Drainage Scheme for Trichinopoly prepared by the Deputy Sanitary Engineer, Southern Circle, after an inspection.

2. I agree with the Deputy Sanitary Engineer that it is sufficient in the first place to provide for the drainage of the areas in Wards No.2, 6, and portions of 5,7,8 & 9. The population of the area to be served is of 1 51 is about 84,000 and 30,000 for [illegible].

3. The cost of the drainage scheme for this portion of the town, at [illegible] drains to intercept the underground water, would be very approximately at R.5 lakhs for first cost and R.10,00 a year to maintain. If the comprehensive scheme is drawn up however, some portion of it can be carried out piecemeal wise. The cost of investigation will be R.2,500/- and if the detailed plans and estimates for the scheme are prepared immediately after the investigation a special revenue office establishment for [illegible] the cost of R.2,000/- will be required.

4. I would request the Deputy Sanitary Engineer to the investigation [illegible] carried out [illegible]

NS 25/7

nor between November and May as it will not be possible
o outdoor surveying work efficiently in the monsoon
onths between June and October.

I have the honour to be,

Sir,

Your most obedient servant,

J. S. Westlake
24.7.28.

Sanitary Engineer to Govt.

DSP/24-7-28).

10/2417

[illegible]

Preliminary note on a Drainage Scheme for Mangalore.

The soil and subsoil of Mangalore are of porous laterite, and the different portions of the town consist of small laterite plateaus and dales. In such porous soil rain water easily soaks into the ground and emerges as springs in low lying tracts. The town is interspressed with a number of nullahs or storm water channels which run into the Netravati river to the south or the back water to the west of the town. These nullahs run mostly between houses, the sides being lined with dry laterite, blocks and the bottom without any pavement. Some small cross drains similarly lined with laterite blocks and carrying the sullage of houses join these nullahs. During the monsoon months very little of sullage is visible in the town, being washed away by the heavy rains, but in the non-rainy months, the sullage water, which in the absence of a water supply, is necessarily small in quantity, soaks and stagnates in the unpaved drains and nullahs. One or two of these nullahs and drains here and there have recently been converted into masonry ones plastered with cement, but in the absence of a comprehensive drainage scheme for the town, the Council has now decided not to embark on further expenditure in this direction, before making sure that such drains will fit in with any general scheme that may be drawn up for the town.

2. The town of Mangalore is rather extensive in area being about 5½ sq.miles, with about 50 miles of streets and roads. It is divided into 9 Wards. The entire area does not stand in need of a scientific drainage system. The eastern portion of the town consisting of Wards No.5 (Court Ward), and No.1 (Kodi Bail East Ward) as also the northern portion of Ward No.9 (Kodi Bail West Ward) and the Eastern portion of Ward No.8 (Jeppu Ward) contain mainly garden houses built in terraced plots and the small quantity of sullage water from these houses is disposed of in the gardens on their own grounds. Portions of Wards No.6 (Cantonment Ward) and No.7 (Fort Ward) where the public offices, school and college, maidan, church, temple etc., are located can also be

eliminated, thus restricting the area to be dealt with to about a third of the whole town. The congested portions of the town requiring scientific treatment are Wards Nos.2,3 & 4 and portions of Wards 6,7, 8 & 9. The population of this area as per census of 1921 is about 24,000 (as against 53,877 for the whole town) as per details below.

Part of Ward No.9 (Kodil Bail West Ward)		3,000
Ward No.2 (Golikat Ward)		4,547
Ward No.3 (Central Ward)		5,029
Ward No.4 (Market Ward)		2,781
Part of Ward No.6 (Cartonment Ward)		2,500
" Ward No.7 (Fort Ward)		2,000
" Ward No.8 (Jappu Ward)		4,000
	Total	23,827 or
	say	24,000

3. The rain fall at Mangalore is very heavy, the average for 20 years being 126", with a maximum and minimum of 150" and 89" in that period. A closed sewerage scheme for the town will not be suitable, as, besides the cost, the sewers are likely to get overfilled during the heavy rains so common here. The scheme will have to be a combined one of open drains in streets and lanes, and of intercepting sewers to pick these up and convey the drainage to the disposal works. A main intercepting sewer will have to run along the western limit of the town parallel to the back water, and some branch sewers may also be found necessary. Adequate over flows will be provided to divert the storm water from the open drains into the existing nullahs which will also have to be improved. For the open drains, salt-glazed stoneware half pipes - a local product - can be made to required specifications and used. As regards disposal of the sewage, a suitable site for a sewage farm sufficiently high to permit of efficient drainage at all times of the year and within a reasonable distance is not readily available. Conditions prevailing on the west coast are generally not suited to this. The sewage will hence have to be

collected into a pump well, at the south west corner of the town and pumped into the Netravati river, (where it enters the sea) if necessary after treatment in septic tank. The dilution of the sewage by sea and river water and the washing away of it into the sea during tides, may make it inoffensive.

4. As regards the initial cost of the scheme a fair approximation of it now is difficult as the country is very undulating and there are long stretches of fields etc., in places, in the portions to be dealt with. It is only after levels are taken and the areas requiring to be drained are exactly determined, that any fairly approximate estimate of the cost can be given. On the basis of population and with due regard to the peculiar features of the locality the scheme may roughly cost about Rs.5 lakhs to instal and Rs.10,000 yearly to maintain.

5. As regards the investigation necessary, the field work will have to be got through in the course of 5 or 6 months, between November and May, as no outdoor work will be possible in the monsoon months between June and October. To get through the work in one season the investigation will cost about Rs.2,500/- as under:-

1. Sanitary Investigator on Rs.144/- per mensem for 5 months	Rs. 720
2. Sub Overseers (for taking levels etc., to work under the Sanitary Investigator) for 4 months @ Rs.70/- per mensem.	560
3 x 5 or 15 Lascars on Rs.12/- per mensem) for 4 months.	720
5 Lascars for 1 month.	60
T.A: trial pits, stationery and contingencies.	440
Total Rs.	2,500

(Sd.) T.S.Subrahmanya Iyer
18-7-28

Offg.Deputy Sanitary Engr.
Southern Circle.

(True Copy)

******

11

ESTIMATE FORM.—Abstract.

21

Quantity.	Description of Work.	Rate.	Per	Amount	Total.
1	2	3	4	5	6
		RS.		RS.	RS.
	MANGALORE DRAINAGE SCHEME.				
	The cost of special staff for the preparation of detail plans and estimates.				
2	Draftsman on Rs.80/- each for 6 months.	160	month	960	
1	Draftsman on Rs.50/- each for -do-	50	"	300	
2	Tracers on Rs.35/- each for 5 months.	70	"	350	
1	Typist on Rs.40/- for 2 months.	40/-	"	80	
	Stationery for drawing etc.		L.S.	310	
				------	2,000/-
					======

/24-7-28).

J. S. Neelakanta
24-7-28.
Sanitary Engineer to Govt.

24/7

Grand Total of Estimate ...

STATION _____

Date _____ 191 .

Executive Engineer.

L. S. G. (P.H) Cy

32/11/8

12

45212. From the Cmc Mangalore
No 321 dt 16.12.27

31131 From the S. E. No 382 G dt 25/7

Drainage Scheme for Mangalore

Memo :- 31131-1 Dr (P.H.) dt 11.8.28

A copy of the S. E's letter No 382 G dt 25.7.28 together with the enclosures is Communicated to the Cmc Mangalore. He is requested to report whether the Council is prepared to bear the cost of the investigation

Hs
10.8.28

10.8.28

Dpd by Van
Dpr's. initials MWS
Date 13.8.1928.

To the Cmc Mangalore
With a copy of (Pp 16-11 ef)

Copy to S. E.

B

DEPARTMENT.

C.F. 30—10,000—31-1-27.

Received ..... 192 . *Registered* 192

TO GOVT. LOCAL SELF GOVT. DEPARTMENT + SECRETARY
31 OCT 1928

Subject.

Drainage Scheme for Mangalore. 44229

Government Memorandum No.31131-1 D2 P.H. dated 11th August 1928.-replied.

****

ENCLOSURES.
No. One.
Spare copies.

C. No. 405/28-29.

Station Mangalore. *Dated the* 27th October 1928.

From (*Name*) B. M. D'Souza, Esquire.,

(*Designation*) Chairman-Delegate, Municipal Council, Mangalore.

To The Secretary to the Government of Madras,

LOCAL-SELF GOVERNMENT *Department.*

Sir,

Referring to Government Memorandum No.31131-1 D2 P.H. dated 11th August 1928, I have the honour to report that the Council is prepared to bear the cost of the investigation and the preparation of the estimates for the drainage scheme. There are no funds to spare in the current year's budget and the council therefore proposes to place the amount required at the disposal of the Sanitary Engineer in April next. I request therefore that necessary arrangements may be made to take up the work in hand, if possible immediately.

Pl. note

NS/31/10

A sum of about Rs.1,700 out of the advance made for the

the investigation of the water supply scheme is outstanding with the Sanitary Engineer. The cost of investigation of - the drainage scheme may at present be met out of the said - amount.

A copy of the resolution is enclosed.

Your obedient servant,

Chairman-Delegate.M.C.

H.D.U.27/10.

No. 15

Extract from the Proceedings of the Mangalore Municipal Council, dated 27th August 1928.

PRESENT:-

* * *

11 Read Government Memorandum No.31131-1 D2 P. H. dated 11th August 1928 communicating a copy of the Sanitary Engineer's letter No.382 G 25th July 1928 with the enclosure on the subject of drainage scheme for Mangalore and requesting to report whether the council is prepared to bear the cost of the investigation.

The council is prepared to bear the cost of the ----- investigation and preparation of estimates, but the payment will be made in April next.

* * *

/True Extract/

Municipal Office,
Mangalore, 27-10-28.

Chairman-Delegate M.C.

H.D.U.27/10.

L. 8/(54)0

34/5/1 2d 5/1 From the Chairman Mangalore
No 405 & 27. X. 28.

Copied 5/1

Drainage Scheme - Mangalore

Memo 51008-1 Dr PH 4/1/29

SR 10/2

Dfs 1/1 SR 1/3

The Chairman is informed that a sum of Rs 1713/- is outstanding with the Sanitary Engineer out of the amount placed at his disposal for the investigation of a water-supply scheme. The Govt have no objection to divert the amount for the investigation of a drainage scheme for the town provided the Council undertakes to deposit any further amount required for the completion of the water supply ~~scheme~~ investigation in case it accepts the scheme referred

17

(linked file)

Vide in memo no 23383-1a
P.H. dated 18.6.28. The
Chairman is requested
to report early whether the Council
agrees to the above conditions

Hs
17/12
MD
14.12.28

To the Cmc Bangalore
w.r.t.

Dpd. by ~~Hand~~ Post ~~Messenger~~

Dpr's. initials. EK

Date 7/1 1929.

48

DEPARTMENT.

G.F. 30.

Received ..... 192 *Registered* 192

13558

SECRETARY TO GOVERNMENT, LOCAL SELF-GOVERNMENT DEPARTMENT.
7-APR 1929

Subject.

Investigation - Drainage Scheme, Mangalore -

Requesting - may be taken in hand.

ENCLOSURES.
No. .....
.....
Spare copies .....

C. No. M05-A/28.29.

Station Mangalore, *Dated the* 5th April 1929.

From (Name) M.R.Ry. Rao Sahib Nellikai Venkat Rao, Avl.,

(Designation) Chairman, Municipal Council, Mangalore.

To The Secretary to the Government of Madras,

Local Self Government Department.
Fort St. George, Madras.

Sir,

Referring to Government Memorandum No.51008-1-D.2 P.H. dated 4th January 1929, I have the honour to state -- that provision of - Rs. 4,500 -. has been made in the current year's budget to meet the cost of investigation of the ---- Drainage scheme for Mangalore and the preparation of plans and estimates. The amount will be placed at the disposal of the Sanitary Engineer on receipt of orders from Government. It is requested that necessary instructions may be issued to the Sanitary Engineer to take up the work in hand ------ immediately, if possible.

Your obedient servant,

Venkatarao

Chairman, M. C.

P.S. -

C.F. 304—2,750 Bks.—10-9-28.

OFFICE OF THE [redacted]

Dated 1/5/1929

Hours 1 Minutes 1

TELEPHONIC MESSAGE.

From The Manager, S.E. office,

To The Sec. [redacted], L.S.G.D.

Ref. [redacted] T. on. 8/29/4/1. Re.
The [redacted] of Mangalore drain
scheme [redacted] the list of priority
schemes [redacted] water [redacted] drainage
schemes [redacted]

The Sanitary Engineer
considers that Mangalore
drainage scheme may be
assigned a place next to Vellore
water supply in the [redacted]
list A.

[redacted]

Office of the Sanitary Engineer to Govt.,
Triplicane, Madras.

POST COPY OF TELEPHONE MESSAGE.

From

The Manager,
Office of the Sanitary Engineer to Govt.,
M a d r a s.

To

The Superintendent,
L.S.G. (D.2) Section, Madras.

Ref: your T.M. dated 1-5-1929.

The Vellore water supply improvements scheme referred to is the last in the priority list A maintained by Government forwarded with U.O.No.11587-1 D.2 P.H. dated 11-4-1929. The Council has agreed to place at the disposal of this Department the funds necessary for carrying out the investigation as also for preparation of plans and estimates for the scheme. This scheme is the same as item 40 in the list printed in G.O.No. 1324 P.H. dated 2-9-1929.

V[redacted]am

MANAGER.

21 L&S (PH) Dept

From the Cmc Mangalore no 321 of 16.12.27
" S.E. no 3829 of 25.7.28
4622 of " Cmc Mangalore no 405 of 27.6.28

Subject:—

Mangalore Drainage Scheme

The S.E. reported that it would be sufficient in the first place to provide a comprehensive drainage scheme for certain wards of the Mangalore municipality ~~He~~ and estimated the capital cost at Rs 5 lakhs and the annual maintenance charges at Rs 10,000. The cost of investigation of the scheme and the preparation of plans and estimates were estimated at Rs 2,500/- and Rs 2,000/- respectively. The C.M.C Mangalore to whom the above proposals were referred ~~has agreed to provide the cost of the investigation~~ reports that the council has agreed to bear the cost of investigation and the preparation of plans and estimates and that the necessary funds will be placed at the disposal of the Sanitary Engineer in April next. He therefore requests that orders may be issued for the investigation of the scheme at once. He also reports that a sum of Rs 1,700 given for the investigation of water supply scheme

22

is pending with the Sanitary Engineer.

~~In the circumstances stated by the~~

Cmc Mangalore the investigation of

the Drainage scheme may be sanctioned.

and the S.E. requested to take up the work after the entire funds are placed at his disposal.

The question of financing the Scheme may

be considered after the Sanitary Engineer's

investigation report is received.

~~A draft order is submitted for~~

approval.

SANITARY ENGINEER
Reg. No. 1417/G.
24 NOV 1928
TO THE GOVERNMENT OF MADRAS

The Sant. Engr. may be requested

22/11 Cos. to state whether he can

take up the investigation work

under the conditions specified

by the Council.

HH 23/11

Sanitary Engr.

22-11-28

There is a balance of Rs 1713 with

this Dept. on account of the Water

Supply Investigation which can be

diverted for the Drainage Investigation

on the understanding that the Council

deposit the further amount required

for the completion of the W.S. ~~scheme~~

investigation should they accept the

scheme which has been referred

to them for consideration by Govt.

The Drainage Investigation may therefore

be approved & taken up as soon

Dr Gurnos. 4 [illegible]

23/11/28

Approved

A Vide linked file

as the D.S.E. concerned has a Sanitary Investigator available & with due consideration to other schemes higher on the priority list.

27.11.28.

L.S.G.
U/o.

28 NOV 1928
GOVERNMENT
SECRETARIAT
MADRAS

L.S.G.(P.H.) Department.

The Managalore Drainage Scheme is not included in the priority list published in G.O.No.1694 P.H.,dated 2nd September 1927. The investigation of the scheme may however be ordered. Before doing so the Council may be asked to report about the point mentioned at A in the S.E's note on page 2 ante.

The draft below is for approval.

N.S.
12.12.28
M.T.D.
14/12

The Budget of the Municipal Council for 1928-29 as revised with reference to the actual closing balance on 31st March 1928 is expected to close with a balance of Rs 12423 against the minimum ~~close with a~~ balance of Rs.9550 after providing for a capital expenditure of Rs.1,12,700/- Its surplus ~~for~~ under general fund is over Rs.23,000/- a year. It can easily provide the sum for investigation of the schemes.

From General Revenues for

(a)	Genl.Capital works	28,600
(b)	Elem.School buildings	17,000
(c)	Town Planning purposes.	67,100
	Total	1,12,700

J.K. 20/12
V.N.
20-12-28

28/12

M 3/1

as 1
D.S
3/1

2/4

[Memo no 5100 8-1 Dr Pt 4 4-1-29] - Pt 16-17 f

C.no 13558 From the Chief Mangalore no 4085 85/4 f 18 f

Please see the Chief's letter on page 18 f. In the circumstances stated by him the investigation of the scheme may be ordered.

The draft below is for approval. It may issue with the concurrence of P.W.D.

16716

Hs 16.4.29

hd 16.4.29

Legislative 13558/Dr Pt 18/4

Minister B, 18/4

P. W. D.

Dr 2 Dec

The draft order may be accepted & the file returned to the Dr G (Pt) Deptt

DS

8069c

W1

Dr 2 Dec

25/4/29

Dr 2 Dec

P-W.D. no 8069c/29-1 f 24/4/29.

Legislative Deptt

NC Reg 27/4

L.S.G.O.

The S.E has now stated that the scheme may be assigned a place below the Vellore water supply improvement scheme in the priority list. A ~~two~~ sentence has been added to that effect in the draft. The order may now issue.

p.19 f

44259.

Ms
3.5.29

MS
3.5.29

4.5.29

Sectt. II-5 (a)—48,004—6-11-28. (6)

L. S.G.(PH) DEPARTMENT.

	Date.	Initials.
When received for Fair-copying.		
When copied	7/5	
When examined		
When signed		
When despatched		

READ AGAIN G.O. No ....., dated 192

" " " " ..... " ..... 192 .

READ ALSO:—

C. No 452/2 From the Chief Engineer, Mangalore, No. 321, dated 16.12. 1928

" " " " Chief Engr " 382 " 25.7. 1928

" " Chief Engineer Mangalore 405 " 27.10.28

" " " " " " " 8.10. 1929

ORDER. No. 1205 PH, dated 7.5. 1929

mis

Dp 7/5

The Govt. sanction the investigation of a drainage scheme for the Mangalore Municipality. The Sanitary Engineer is requested to take up the investigation of the scheme as soon as the Council places necessary funds at his disposal.

To

~~The Chief Engineer Mangalore~~

~~" Sanitary Engr (with~~

16/4

2. The Scheme is not included in the priority list appended to G.O. no 169/PH. It will be given a place below the Vellore water supply

PH. 2-9-29.

27/ this improvement scheme in class A of the list appended to that order.

HS
3/5
3.5.29

To The Sanitary Engr
" Dy. H
" Cmr Mangalore
(Spare copy)

(3)
Dpd. by Peon / Messenger
Dpr's. Initials. 8
Date 8/5/1929.